

A large, light gray watermark of the Singer logo is centered on the page. It features a semi-circular arch at the top and bottom, with the letters 'CSMP' in a stylized font across the middle. The word 'SINGER' and its model numbers are printed in black over the top part of the watermark.

SINGER
29K71,K72,K73

Full Size


3



PLATE 1484

ILLUSTRATED
LIST OF PARTS
FOR
CLASS 29K
MACHINES
(Nos. 29K71 to 29K73)



** A Trade Mark of THE SINGER MANUFACTURING CO.






82030 8675

8573

82129 82130


8590







82212



82184



82160















PARTS COMPLETE FOR No. 29K71 Machine

12 $\frac{1}{4}$ " from Needle to Base of Arm.

Universal Upper Feed. Oscillating Horizontal Shuttle. Stop Motion Balance Wheel. Replaceable Steel Horn. Convenient and Positive Adjustment of Presser Foot Lift. Eccentric Adjustment for Shuttle Timing. Check Lever Thread Take-up Adjustment with Indicator. Graduated Feed Motion Bell Crank to indicate the length of Stitch. Width at end of Shuttle Driving Gear Box 1", depth $\frac{3}{8}$ ". Two-speed Drive, diameter of belt grooves 2 $\frac{3}{8}$ " and 4 $\frac{3}{8}$ " for Boot and Shoe Repairing, Slipper Work, etc.

No.	Plate								
*82158	---	Arm with 449	...	...	...	...	...	...	...
118c	1998	" Base Screw (4)	...	...	...	...	...	...	...
82034	---	" Side Cover (front) for use when machine is fitted with Hand Wheel on end of Shatt	...	...	...	...	...	...	...
4288	1991	" Side Cover (back)	...	...	...	...	...	...	...
51224w	1998	" " " Thumb Screw	...	...	...	...	...	...	...
8659	1997	Check Lever	...	...	...	...	...	...	...
82189	2570	" " Indicator Body	...	...	...	...	...	...	...
NN100k	1999	" " " Lock Nut	...	...	...	...	...	...	...
82164	2570	" " " Index Head	...	...	...	...	...	...	...
82165	2570	" " " Locating Plunger	...	...	...	...	...	...	...
2975	2570	" " " " " Spring	...	...	...	...	...	...	...
56033	2570	" " " " " Stop Pin	...	...	...	...	...	...	...
8554	1995	" " " Joint Pin	...	...	...	...	...	...	...
82219	2569	" " " Spring	...	...	...	...	...	...	...
82216	1994	" " " Steady Pin	...	...	...	...	...	...	...
418j	2569	" " " Stud	...	...	...	...	...	...	...
NN105h	2569	" " " " Nut	...	...	...	...	...	...	...
SS570k	1999	" " " Thread Take-up Adjusting Screw	...	...	...	...	...	...	...
NN99k	1999	" " " " " Lock Nut	...	...	...	...	...	...	...
82166		Check Lever Thread Take-up Adjusting Screw with Indicator, complete, Nos. NN99k, NN100k, SS570k, 2975, 56033, 82164, 82165 and 82189	...	...	...	...	...	...	...
82007	1995	Feeding Foot	...	...	...	...	...	...	...
8557	1995	" " (narrow fork, fine)	...	...	...	...	...	...	...
8558	1995	" " (" " coarse)	...	...	...	...	...	...	...
8666	1995	" " (for waxed thread)	...	...	...	...	...	...	...
193f	1998	" " Screw	...	...	...	...	...	...	...

NOTE: No. 82007 is supplied with this Machine unless otherwise specified on order.

No.	Plate								
82167	2567	Feed Motion Bell Crank Lever							
194e	1998	"	"	"	"	"	Joint Screw (2)	...	...
82149	2568	"	"	Cam Wheel with R/R18 and 81868					
11663	1994	"	"	"	"	"	Pin	...	...
82053	1990	"	"	Ring Slide Bar with 1816					
1816	1998	"	"	"	"	"	Roller and Stud	...	...
8675	1991	Foot Bar							
8564	1997	"	"	Revolving Joint					
82054	1995	"	"	"	"	"	Bearing	...	...
82055	"	"	"	"	"	"	82051 with 8564 and 8571	...	...
8569	1995	"	"	"	"	"	Hinge Pin	...	...
82056	1995	"	"	"	"	"	Slide Rod	...	...
NN96j	1999	"	"	"	"	"	Lock Nut (lower)	...	...
NN101j	1999	"	"	"	"	"	"	"	(upper)
8571	1997	"	"	"	"	"	Washer	...	...
82057	1991	Foot Bar Revolving Joint , complete, Nos. NN96j, NN101j, 82055 and 82056							
82159	1987	Hand Wheel							
81866	1991	"	"	Handle (wood)					
SS135d	1998	"	"	"	"	"	Spindle	...	...
1519e	1998	"	"	"	"	"	Nut	...	...
SS569e	1999	"	"	Retaining Screw					
82160	1992	"	"	Stop Motion Flanged Bushing with two 434e					
434e	1998	"	"	"	"	"	"	"	Binding Screw...
82161	2570	"	"	"	"	"	Plunger	...	...
82162	2570	"	"	"	"	"	Spring	...	...
761e	1999	"	"	"	"	"	Stop Screw	...	...
NN98r	1999	"	"	"	"	"	Thumb Nut	...	...
82163		Hand Wheel and Stop Motion , complete, Nos. NN98r, SS135d, SS569e, 761e, 1519e, 81866 and 82159 to 82162							
82052	1990	Hand Wheel Hub							
SS45e	1998	"	"	"	"	"	Screw (3)	...	...
82008	1995	"	"	Shaft					
81869	1997	"	"	"	"	"	Gear	...	...
11663	1994	"	"	"	"	"	Pin	...	...
82121		Hand Wheel Hub , complete, Nos. 11663, 81869, 82008 and 82052							
<i>NOTE. When machines are fitted with Hand Wheel on Shaft, Arm Side Cover No. 82034 is supplied in place of No. 82121.</i>									
82058	1990	Head of Machine							
128d	1998	"	"	Binding Screw (1)					
8573	1991	"	"	Revolving Bush					
33534	"	"	"	"	"	"	Friction Spring	...	...
8575	1995	"	"	"	"	"	Pin	...	...
193f	1998	"	"	"	"	"	Screw	...	...

No.	Plate										
82123	1990	Head Revolving Bush Handle									
152f	1998	"	"	"	"	"	Screw (2)	...	...		
SS535w	1999	"	"	"	"	"	Stop Thumb Screw	...	...		
8577	1997	"	"	"	"	"	Supporting Washer	...	...		
211d	1998	"	"	"	"	"	"	"	Screw (2)		
82059	1991	Lifter									
66f	1998	"	Hinge Screw						...	...	
*82223	...	Lower Arm and Bed									
8582	1994	"	"	"	"	"	Steady Pin (2)	...	...		
82030	1991	Needle Bar									
81858	1994	"	"	Clamp with 237f						...	...
SS50f	1998	"	"	"	"	"	Screw	...	...		
237f	1998	"	"	Needle Clamping Screw						...	...
8656	1994	"	"	Thread Tension Spring						...	...
SS133d	1998	"	"	"	"	"	"	"	Screw		
82031		Needle Bar , complete, Nos. SS50f, 8656, 81858, 82030 and two SS133d								...	...
8661	1987	Needle Bar Cam and Pulley Wheel with 361e								...	...
3012	1994	"	"	"	"	"	"	"	Pin	...	...
361e	1998	"	"	"	"	"	"	"	Set Screw	...	...
82220	1987	Needle Bar Driving Lever with 1801 and 82216								...	...
1801	1998	"	"	"	"	"	Cam Roller and Stud	...	...		
8586	1997	"	"	"	"	"	Joint Pin	...	...		
82231	2567	"	"	Piston Joint						...	...
8589	1995	Needle Bar Piston Joint Pin									
82235		Needle Plate (fine and Medium Needle Holes)								...	...
82234	2569	"	"	(Medium and Coarse Needle Holes)						...	...
82240	2569	"	"	Hinge Pin						...	...
SS658	2569	"	"	"	"	"	Binding Screw	...	...		
82171	2570	"	"	Locating Plunger						...	...
82172	2569	"	"	"	"	"	Spring	...	...		
82173	2569	"	"	Releasing Lever						...	...
82063	2569	"	"	"	"	"	Hinge Pin	...	...		
8670	1991	Oil Cup with 8597 and 8695								...	...
8695	1995	"	"	Oil Pad (cloth)						...	...
327d	1998	"	"	Screw						...	...
8597	1994	"	"	Spring						...	...
82174	2567	Pinion Cover Plate									
1123j	1999	"	"	"	"	"	Screw	...	...		
82175	2568	Rack (long)									
82176	2568	"	(short)						...	...	

82130	1991	Vibrating Presser Spring Bar	...	...	...	...
NN88w	1998	"	"	"	Adjusting Nut	...
82131	1997	"	"	"	Collar	...
179c	1998	"	"	"	" Screw	...

PARTS COMPLETE **FOR** **No. 29K72 Machine**

17½ ins. from Needle to Base of Arm.

Universal Upper Feed. Oscillating Horizontal Shuttle. Stop Motion Balance Wheel. Replaceable Steel Horn. Convenient and Positive Adjustment of Presser Foot Lift. Eccentric Adjustment for Shuttle Timing. Check Lever Thread Take-up Adjustment with Indicator. Graduated Feed Motion Bell Crank to indicate the length of Stitch. Width at end of Shuttle Driving Gear Box 1 $\frac{5}{32}$ " , depth 1 $\frac{1}{16}$ ". Two-speed Drive, diameter of belt grooves 3½" and 5½". Large Shuttle. For Waxed Thread. For Boot and Shoe Repairing, Slipper Work, etc.

No.	Plate								
*82195	—	Arm with 4449 ...	...	...	...	...	...	...	...
118e	1998	" Base Screw (4)	...	...	...	...	...	...	...
82034	—	" Side Cover (front) for use when machine is fitted with Hand Wheel on end of Shaft	...	...	...	...	...	...	...
4288	1991	" Side Cover (back)	...	...	...	...	...	...	...
51224w	1998	" " " Thumb Screw	...	...	...	...	...	...	...
8659	1997	Check Lever ...	...	...	...	...	...	...	...
82189	2570	" " Indicator Body	...	...	...	...	...	...	...
NN100k	1999	" " " Lock Nut	...	...	...	...	...	...	...
82164	2570	" " " Index Head	...	...	...	...	...	...	...
82165	2570	" " " " " Locating Plunger	...	...	...	...	...	...	...
2975	2570	" " " " " " " Spring	...	...	...	...	...	...	...
56033	2570	" " " " " " Stop Pin	...	...	...	...	...	...	...
8554	1995	" " " " " " Joint Pin	...	...	...	...	...	...	...
82219	2569	" " " " " " Spring	...	...	...	...	...	...	...
82216	1991	" " " " " " Steady Pin	...	...	...	...	...	...	...
418j	2569	" " " " " " Stud	...	...	...	...	...	...	...
NN105b	2569	" " " " " " Nut	...	...	...	...	...	...	...
SS570k	1999	" " " " " " Thread Take up Adjusting Screw	...	...	...	...	...	...	...
NN99k	1999	" " " " " " " Lock Nut	...	...	...	...	...	...	...
82166	—	Check Lever Thread Take-up Adjusting Screw with Indicator, complete, Nos. NN99k, NN100k, SS570k, 2975, 56033, 82164, 82165 and 82189	...	...	...	...	...	...	...
82007	1995	Feeding Foot ...	...	...	...	...	...	...	...
8557	1995	" " (narrow fork, fine)	...	...	...	...	...	...	...
8558	1995	" " (" " " coarse)	...	...	...	...	...	...	...
8666	1995	" " (for waxed thread)	...	...	...	...	...	...	...
193f	1998	" " " Screw	...	...	...	...	...	...	...

NOTE. —No. 8666 is supplied with this Machine unless otherwise specified on order.

No.	Plate								
82167	2567	Feed Motion Bell Crank Lever ...	...	...	...	...	...	...	...
191e	1998	" " " " " " Joint Screw (2)	...	...	...	...	...	...	...
82149	2568	" " " " " " Cam Wheel with R/18 and 81868	...	...	...	...	...	...	...
11663	1991	" " " " " " Pin	...	...	...	...	...	...	...
82053	1990	" " " " " " Ring Slide Bar with 1816	...	...	...	...	...	...	...
1816	1998	" " " " " " Roller and Stud	...	...	...	...	...	...	...
8675	1991	Foot Bar ...	...	...	...	...	...	...	...
8564	1997	" " " " " " Revolving Joint	...	...	...	...	...	...	...
82054	1995	" " " " " " Bearing	...	...	...	...	...	...	...
82055	—	" " " " " " " 82054 with 8564 and 8571	...	...	...	...	...	...	...
8569	1995	" " " " " " Hinge Pin	...	...	...	...	...	...	...
82056	1995	" " " " " " Slide Rod	...	...	...	...	...	...	...
NA96j	1999	" " " " " " " Lock Nut (lower)	...	...	...	...	...	...	...
NN101j	1999	" " " " " " " " " (upper)	...	...	...	...	...	...	...
8571	1997	" " " " " " " Washer	...	...	...	...	...	...	...
82057	1991	Foot Bar Revolving Joint, complete, Nos. NA96j, NN101j, 82055 and 82056	...	...	...	...	...	...	...
82159	1987	Hand Wheel ...	...	...	...	...	...	...	...
81866	1991	" " " " " " Handle (wood)	...	...	...	...	...	...	...
SS135d	1998	" " " " " " Spindle	...	...	...	...	...	...	...
1519e	1998	" " " " " " Nut	...	...	...	...	...	...	...
SS569c	1999	" " " " " " Retaining Screw	...	...	...	...	...	...	...
82160	1992	" " " " " " Stop Motion Flanged Bushing with two 434c	...	...	...	...	...	...	...
434c	1998	" " " " " " " " " Binding Screw	...	...	...	...	...	...	...
82161	2570	" " " " " " Plunger	...	...	...	...	...	...	...
82162	2570	" " " " " " " Spring	...	...	...	...	...	...	...
761c	1999	" " " " " " " Stop Screw	...	...	...	...	...	...	...
NN98r	1999	" " " " " " " Thumb Nut	...	...	...	...	...	...	...
82163	—	Hand Wheel and Stop Motion, complete, Nos. NN98r, SS135d, SS569c, 761c, 1519e, 81866 and 82159 to 82162	...	...	...	...	...	...	...
82052	1990	Hand Wheel Hub ...	...	...	...	...	...	...	...
SS15e	1998	" " " " " " Screw (3)	...	...	...	...	...	...	...
82008	1995	" " " " " " Shaft	...	...	...	...	...	...	...
81869	1997	" " " " " " Gear	...	...	...	...	...	...	...
11663	1991	" " " " " " Pin	...	...	...	...	...	...	...
82121	—	Hand Wheel Hub, complete, Nos. 11663, 81869, 82008 and 82052	...	...	...	...	...	...	...

NOTE. When machines are fitted with Hand Wheel on Shaft, Arm Side Cover No. 82034 is supplied in place of No. 82121.

82058	1990	Head of Machine ...	...	...	...	...	...	...	...
128d	1998	" Binding Screw (4)	...	...	...	...	...	...	...
8573	1991	" Revolving Bush	...	...	...	...	...	...	...
33534	—	" " " " " Friction Spring	...	...	...	...	...	...	...
8575	1995	" " " " " " Pin	...	...	...	...	...	...	...
193f	1998	" " " " " " Screw	...	...	...	...	...	...	...

No.	Plate								
82123	1990	Head	Revolving Bush Handle	...	...	...	...	...	...
152f	1998	"	" " " " Screw (2)	...	...	...	...	...	...
SS535w	1999	"	" " " Stop Thumb Screw	...	...	...	...	...	...
8577	1997	"	" " " Supporting Washer	...	...	...	...	...	...
211d	1998	"	" " " " " " Screw (2)	...	...	...	...	...	...
82059	1991	Lifter	...	...	...	...	...	...	...
66f	1998	"	Hinge Screw	...	...	...	...	...	...
*82200	---	Lower Arm and Bed	...	...	...	...	...	...	...
8582	1994	"	" " " " Steady Pin (2)	...	...	...	...	...	...
82212	1992	Needle Bar	...	...	...	...	...	...	...
81888	1994	"	" " Clamp with 237f	...	...	...	...	...	...
SS50f	1998	"	" " " Screw	...	...	...	...	...	...
237f	1998	"	" " Needle Clamping Screw	...	...	...	...	...	...
8656	1994	"	" " Thread Tension Spring	...	...	...	...	...	...
SS133d	1998	"	" " " " " " Screw	...	...	...	...	...	...
82213	---	Needle Bar	complete, Nos. SS50f, 8656, 81888, 82212 and two SS133d	...	...	...	...	...	...
81941	1987	Needle Bar Cam and Pulley Wheel	with 361c	...	...	...	...	...	...
3012	1994	"	" " " " " " Pin	...	...	...	...	...	...
361c	1998	"	" " " " " " Set Screw	...	...	...	...	...	...
82241	1987	Needle Bar Driving Lever	with 1801 and 82216	...	...	...	...	...	...
1801	1998	"	" " " " " Cam Roller and Stud	...	...	...	...	...	...
81943	1997	"	" " " " " Joint Pin	...	...	...	...	...	...
82199	2567	"	" " Piston Joint	...	...	...	...	...	...
8589	1995	Needle Bar	Piston Joint Pin	...	...	...	...	...	...
82201	---	Needle Plate	(Fine and Medium Needle Holes)	...	...	...	...	...	...
82202	2569	"	" " (Medium and Coarse Needle Holes)	...	...	...	...	...	...
82240	2569	"	" " Hinge Pin	...	...	...	...	...	...
SS658	2569	"	" " " " Binding Screw	...	...	...	...	...	...
82171	2570	"	" " Locating Plunger	...	...	...	...	...	...
82203	2569	"	" " " " Spring	...	...	...	...	...	...
82173	2569	"	" " Releasing Lever	...	...	...	...	...	...
82063	2569	"	" " " " Hinge Pin	...	...	...	...	...	...
8670	1991	Oil Cup	with 8597 and 8695	...	...	...	...	...	...
8695	1995	"	" " Oil Pad (cloth)	...	...	...	...	...	...
327d	1998	"	" " Screw	...	...	...	...	...	...
8597	1994	"	" " Spring	...	...	...	...	...	...
82204	2567	Pinion Cover Plate	...	...	...	...	...	...	...
1423j	1999	"	" " " Screw	...	...	...	...	...	...
82175	2568	Rack	(long)	...	...	...	...	...	...
82176	2568	"	(short)	...	...	...	...	...	...

No.	Plate								
82011	1987	Shaft	...	...	...	...	...	...	...
4449	1990	"	Bushing	...	...	...	...	...	...
82552	1994	Shuttle Bobbin	...	...	...	...	...	...	...
7868	1994	"	" " Retaining Spring	...	...	...	...	...	...
SS133d	1998	"	" " " " Screw	...	...	...	...	...	...
*81993	1994	"	" Body	...	...	...	...	...	...
SS132d	1998	"	" Tension Regulating Screw	...	...	...	...	...	...
81994	1994	"	" " Spring	...	...	...	...	...	...
81951	1994	"	" Thread Pull-off	...	...	...	...	...	...
404d	1998	"	" " " Screw	...	...	...	...	...	...
81952	---	Shuttle	complete, Nos. SS132d, SS133d, 404d, 7868, 81951, 81993, 81994 and 82552	...	...	...	...	...	...
82205	2570	Shuttle Carrier	...	...	...	...	...	...	...
82206	2567	"	" " Driving Pinion	...	...	...	...	...	...
82179	2570	"	" " " " Bushing	...	...	...	...	...	...
SS571al	1999	"	" " " " Screw	...	...	...	...	...	...
82180	2567	"	" " Following Pinion	...	...	...	...	...	...
82181	2567	"	" " " " Stud	...	...	...	...	...	...
82073	1990	Shuttle Driving Cam	with SS235c	...	...	...	...	...	...
82122	---	"	" " " and Gear, Nos. 81872 and 82073	...	...	...	...	...	...
81872	1997	"	" " " Gear	...	...	...	...	...	...
3012	1994	"	" " " " Pin	...	...	...	...	...	...
SS235c	1998	"	" " " " Set Screw	...	...	...	...	...	...
1808	1998	"	" " " Roller and Stud	...	...	...	...	...	...
*82225	2568	"	" " Gear Box	...	...	...	...	...	...
82208	2570	"	" " " Position Pin	...	...	...	...	...	...
146j	1999	"	" " " " Screw (2)	...	...	...	...	...	...
82227	---	"	" " " " complete, Nos. SS571al, 82063, 82171, 82173, 82175, 82176, 82179 to 82181, 82203 to 82206, 82225 and two 1423j	...	...	...	...	...	...
82246	---	"	" " Gear Box 82225 with 82179 and 82181 (for agents only)	...	...	...	...	...	...
82247	---	"	" " " " 82246 with SS658 and 82240 (for agents only)	...	...	...	...	...	...
82243	---	"	" " " " 82227 with SS658 and 82240	...	...	...	...	...	...
82184	1992	"	" " Lever with 1808	...	...	...	...	...	...
SS575c	1999	"	" " Bearing Screw	...	...	...	...	...	...
82236	2568	"	" " " Connecting Rod	...	...	...	...	...	...
82194	2568	"	" " " " End (front)	...	...	...	...	...	...
82186	2568	"	" " " " " (back)	...	...	...	...	...	...
8645	1995	"	" " " " " Pin (front)	...	...	...	...	...	...
8569	1995	"	" " " " " " (back)	...	...	...	...	...	...
89c	1998	"	" " " " Hinge Screw	...	...	...	...	...	...
82237	2568	"	" " " " complete, Nos. 8569, 8645, 82186, 82194 and 82236	...	...	...	...	...	...
SS573c	1999	"	" " " Eccentric Stud	...	...	...	...	...	...
1520r	1998	"	" " " " Nut	...	...	...	...	...	...

No.	Plate							
8601	1994	Spool Pin	...	...	...	...	...	...
82188	2570	Stitch Regulator	...	...	...	...	...	...
8616	1995	"	"	Gib	...	...	...	...
291w	1998	"	"	Thumb Screw	...	...	...	...
668d	1997	Tension (top) Adjusting Stud	...	...	...	...	...	...
1560w	1998	"	(")	"	"	Thumb Nut	...	...
8617	1997	"	(")	Cup (release)	...	...	...	...
8618	1997	"	(")	Disc (2)	...	...	...	...
84113	1997	"	(")	Washer (leather)	...	...	...	...
8619	1997	"	(")	Spring	...	...	...	...
*413d	1998	Tension (side) Adjusting Stud	...	...	...	...	...	...
33892	—	"	(")	"	"	413d with 1560w	...	...
1560w	1998	"	(")	"	"	Thumb Nut	...	...
2102	1997	"	(")	Disc (2)	...	...	...	...
80548	1997	"	(")	Spring	...	...	...	...
82116	1995	"	(")	Thread Guide Pin	...	...	...	...
8620	1995	Thread Eyelet (Head of Arm)	...	...	...	...	...	...
193f	1998	"	"	Screw	...	...	...	...
82151		Vibrating Presser Lifting Lever (for light work)	...	...	...	...	...	...
82150	2568	"	"	"	"	(for medium work)	...	...
82152		"	"	"	"	(for heavy work)	...	...

NOTE. No. 82150 is supplied with this Machine unless otherwise specified on order.

41d	1998	Vibrating Presser Lifting Lever Screw	...	...	...	...	...	...
82153	2567	"	"	"	"	Shaft	...	...
82155	2567	"	"	"	"	Adjusting Lever	...	...
515j	1998	"	"	"	"	"	...	...
						Clamping Screw	...	...
8568	1994	"	"	"	"	Adjusting Lever	...	...
						Clamping Screw Rivet	...	...
648j	1998	"	"	"	"	Adjusting Lever	...	...
						Hinge Screw	...	...
82151	2567	"	"	"	"	Lever with 4177c	...	...
1177c	1998	"	"	"	"	Clamping Screw	...	...
RR18	1998	"	"	Roller	...	...	...	...
81868	1994	"	"	Pin	...	...	...	...
82083	1991	"	"	Spring (light)	...	...	...	...
82129	1991	"	"	(heavy)	...	...	...	...

NOTE. No. 82129 is supplied with this Machine unless otherwise specified on order.

82130	1991	Vibrating Presser Spring Bar	...	...	...	...	...	...
NA88w	1998	"	"	"	"	Adjusting Nut	...	...
82131	1997	"	"	"	"	Collar	...	...
179e	1998	"	"	"	"	Screw	...	...

PARTS SPECIAL TO No. 29K73 Machine

17½ ins. from Needle to Base of Arm.

Universal Upper Feed. Oscillating Horizontal Shuttle. Stop Motion Balance Wheel. Replacable Steel Horn. Convenient and Positive Adjustment of Presser Foot Lift. Eccentric Adjustment for Shuttle Timing. Check Lever Thread Take-up Adjustment with Indicator. Graduated Feed Motion Bell Crank to indicate the length of Stitch. Width at end of Shuttle Driving Gear Box 1", depth ⅞". Two-speed Drive, diameter of belt grooves 3¼" and 5½". For Waxed Thread. For Boot and Shoe Repairing, Slipper Work, etc.

This machine is the same as 29K71 with the following exceptions:

No.	Plate							
*82195		Arm with 4149	...	...	...	...	...	...
*82196		Lower Arm and Bed	...	...	...	...	...	...
81941	1987	Needle Bar Cam and Pulley Wheel with 364f	...	...	...	...	...	...
82241	1987	"	"	Driving Lever with 1804 and 82246	...	...	...	...
81943	1997	"	"	"	"	Joint Pin	...	...
82199	2567	"	"	Piston Joint	...	...	...	...
82235		Needle Plate (fine and medium needle holes), for E'port	...	...	...	...	...	...
82234	2569	"	"	(medium and coarse needle holes), for E'port	...	...	...	...
82014	1987	Shaft	...	...	...	...	...	...
SS375c	1999	Shuttle Driving Lever Bearing Screw	...	...	...	...	...	...
82238	2568	"	"	"	"	Connecting Rod	...	...
82239	2568	"	"	"	"	" complete, Nos. 8569, 8645, 82186, 82194 and 82238	...	...

ACCESSORIES

ACCESSORIES supplied with 29K71 and 29K73 Machines

No.	Plate							
	-	Instruction Book	...	...	...	...	...	...
50616c	1999	Machine Screw (4) (for fastening Machine to Stand)	...	...	...	...	...	...
SS418c	1998	" " (4) (for fastening Machine to Power Table)	...	...	...	...	...	...
82833	1994	" " Washer (4) for SS418c	...	...	...	...	...	...
29x4	-	Needles (2 each, sizes 19, 21 and 22)	...	...	...	...	...	...
8590	1991	Needle Bar Threading Wire	...	...	...	...	...	...
36569	2499	Oiler	...	...	...	...	...	...
25537	2499	Screw Driver (Machine)	...	...	...	...	...	...
120378	2499	" " (Shuttle Tension)	...	...	...	...	...	...
8604	1994	Shuttle Bobbin (2)	...	...	...	...	...	...

ACCESSORIES supplied with 29K72 Machine

These are the same as for 29K71 Machine with the following exception :

No.	Plate							
82552	1994	Shuttle Bobbin (2)	...	...	...	...	...	...

BOBBIN WINDERS

BOBBIN WINDER for 29K71 and 29K73 Machines

No.	Plate							
8684	1484	Eccentric	...	...	...	...	...	...
SS469w	1998	" Thumb Screw	...	...	...	...	...	...
82086	1484	Frame	...	...	...	...	...	...
128d	1998	" Screw	...	...	...	...	...	...
8651	1484	Spindle	...	...	...	...	...	...
81965	---	" 8651 with 8371	...	...	...	...	...	...
8371	1484	" Pulley	...	...	...	...	...	...
2460	1484	" " Rubber Ring	...	...	...	...	...	...
82087	1484	Bobbin Winder, complete, Nos. 128d, SS469w, 2460, 8684, 81965 and 82086	...	...	...	...	...	...

BOBBIN WINDER for 29K72 Machine

No.	Plate							
8684	1484	Eccentric	...	...	...	...	...	...
SS469w	1998	" Thumb Screw	...	...	...	...	...	...
82086	1484	Frame	...	...	...	...	...	...
128d	1998	" Screw	...	...	...	...	...	...
82088	1484	Spindle	...	...	...	...	...	...
82089	---	" 82088 with 8371	...	...	...	...	...	...
8371	1484	" Pulley	...	...	...	...	...	...
2460	1484	" " Rubber Ring	...	...	...	...	...	...
82090	1484	Bobbin Winder, complete, Nos. 128d, SS469w, 2460, 8684, 82086 and 82089	...	...	...	...	...	...

Machine Bases for Power Tables

No.	Plate							
82214	---	Machine Base, for 29K71 Machine	...	...	...	...	...	...
82113	---	" " " 29K72 and 29K73 Machines	...	...	...	...	...	...
50616e	1999	" " Screw (for fastening Base to Machine) (4)	...	...	...	...	...	...
---	---	" " Screw (wood) 1" No. 12 (for fastening Base to Power Table) (4)	...	...	...	...	...	...

These bases are only supplied when specified on order and are charged extra.